

The listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently Amended) A guide route search device, comprising:  
a designation unit adapted to designate at least two or more destinations;  
a creation unit adapted to create plural route patterns in which orders of visit to the plural destinations are different from one another; ~~[[and]]~~  
a judgment unit adapted to judge whether the plural route patterns are route patterns that satisfy destination conditions in all the destinations; and  
a route pattern edition unit, for route patterns in which destinations are judged as satisfying the destination conditions by the judgment unit, any one of addition of destinations, deletion of destinations, change of destinations, and rearrangement of destinations as correction of the route patterns and causing the judgment unit to judge whether destinations in the route patterns after the correction satisfy the destination conditions.
2. (Previously Presented) The guide route search device according to claim 1, further comprising a selection unit adapted to select a guide pattern that satisfies the destination conditions in all the destinations as a guide route.
3. (Previously Presented) The guide route search device according to claim 1, further comprising:  
an adjustment unit adapted to perform, for route patterns judged as not satisfying the destination conditions at least at one destination by the judgment unit, adjustment of a non-traveling time such that the route patterns satisfy the destination conditions in all the destinations; and

a selection unit adapted to select a specific route pattern out of the route patterns judged as satisfying the destination conditions in all the destinations by the judgment unit and the route patterns updated by the adjustment unit.

4. (Previously Presented) The guide route search device according to claim 1, further comprising:

an update unit adapted to update, for route patterns judged as not satisfying the destination conditions at least at one destination by the judgment unit, the route patterns such that the route patterns satisfy the destination conditions in all the destinations; and

a display unit adapted to display at least two route patterns out of the route patterns judged as satisfying the destination conditions in all the destinations by the judgment unit and the route patterns updated by the updating means.

5.-6. (Canceled)

7. (Previously Presented) The guide route search device according to claim 2, further comprising:

a display unit adapted to display the guide route selected by the selecting means on a map image together with an image indicating a location of the guide route search device itself before route guide;

a movement unit adapted to move the image indicating a location of the guide route search device itself along the guide route;

a time calculation unit adapted to calculate an arrival time at a location of the image moved by the moving means; and

an update unit adapted to change a color and/or brightness of the map image according to the arrival time calculated.

8. (Canceled)

9. (Previously Presented) The guide route search device according to claim 7, wherein the judgment unit includes a destination condition update unit adapted to update, when the destination for each genre is not in a business hour of the destination, updating the destination conditions for each genre such that the destination conditions for each genre are in a business hour of the route point.

10. (Previously Presented) The guide route search device according to claim 2, wherein that the selection unit judges whether route points of identical or similar genres continue in the route pattern and, when destinations of identical or similar genres do not continue, selects the route pattern as the guide route.

11. (Currently Amended) The guide route search device according to claim [[6]] 1, wherein the route pattern edition unit ~~inserts~~ has a sub-unit for inserting, ~~in the case~~ in which a new destination is inserted in a certain insertion place in route patterns in which destinations are judged as satisfying the destination conditions by the judgment unit, when it is judged by the judgment unit that destinations in the route patterns after correction do not satisfy the destination conditions, the new destination in another insertion place on the guide route.

12. (Currently Amended) The guide route search device according to claim [[6]] 1, characterized in that, the guide route search device ~~inserts~~ has a sub-unit for inserting, ~~when the route pattern edition unit executes addition of a destination in response to the addition of a destination by the route pattern edition unit~~, a new destination in each of plural insertion places, in which a destination can be inserted, on route patterns in which destinations are judged as satisfying the destination conditions by the judgment unit to create plural route patterns, by a creation unit contained in the hardware processor; and

causes the judgment unit to judge whether destinations satisfy the destination conditions for each of the plural route patterns created, by a judgment unit contained in the hardware processor.

13.-20. (Canceled)

21. (Currently Amended) A computer program for causing a guide route search method to operate, the guide route search method comprising the steps of:

designating at least two or more destinations;

creating plural route patterns in which orders of visiting the plural destinations are different from one another; [[and]]

judging whether the plural route patterns are route patterns that satisfy destination conditions in all the destinations, and

editing a route pattern, for route patterns in which destinations are judged as satisfying the destination conditions in the judgment step, any one of addition of destinations, deletion of destinations, change of destinations, and rearrangement of destinations as correction of the route patterns and causing the judging step to judge whether destinations in the route patterns after the correction satisfy the destination conditions.

22.-23. (Canceled)